(19)日本**回特許**庁(JP)

(12) 公開特許公報(A)

(11)特許出願公開番号 特第2002-7419 (P2002-7419A)

(43)公開日 平成14年1月11日(2002.1.11)

(51) Int.CL7 G06F 17/30 餞別都身

FΙ C06F 17/30 テーマコード(参考)

170 210

170G 5 B 0 7 5

210C

審査請求 未請求 請求項の数5 〇L (全 16 頁)

(21)出顧番号 特顧2000-187747(P2000-187747) (71)出願人 000005108 株式会社日立製作所 (22) 出顧日 平成12年6月22日(2000.6.22) 東京都千代田区神田骏河台四丁目6番地 (72)発明者 近藤 秀 神奈川県川崎市幸区鹿島田890番地 株式 会社日立製作所ビジネスソリューション開 発本部内 (72)発明者 岩崎 一正

神奈川県川崎市幸区鹿島田890番地 株式 会社日立製作所ビジネスソリューション開 発本部内

(74)代理人 100096954

弁理士 矢島 保夫


最終質に続く

(54)【発明の名称】 マルチメディアデータ検索方法、装置、および記憶媒体

(57)【要約】 (修正有)

【課題】映像などのマルチメディアデータの検索におい て、データを検索したとき、検索結果に対して1つ1つ 再生の指示操作を行うことなく、容易に検索結果を視聴 して確認できる検索方法、装置、及び記憶媒体を提供す る.

【解決手段】マルチメディアデータ中のアノテーション が設定された特定区間を識別するための識別子と該特定 区間の位置情報と該特定区間に付されたアノテーション 情報とをアノテーションオブジェクトとして登録してお く. 指定された検索条件でアノテーションオブジェクト を検索し、検索結果を取得し、該当するマルチメディア データを取得して連続再生する。さらに再生中のアノテ ーションオブジェクトの登録の要否を入力させ、登録要 と指示されたアノテーションオブジェクトの識別子を登 録する。



【特許請求の範囲】

【請求項1】マルチメディアデータを保持するマルチメディアデータベースから該マルチメディアデータの任意の区間を検索するマルチメディアデータ検索方法であって、

前記マルチメディアデータ中のアノテーションが設定された特定区間を識別するための識別子と該特定区間の位置情報と該特定区間に付されたアノテーション情報とをアノテーションオブジェクトとして登録するステップと、

前記アノテーションオブジェクトに該当するマルチメディアデータを検索し再生するステップと、

検索結果のアノテーションオブジェクトの識別子を登録 するステップとを備えたことを特徴とするマルチメディ アデータ検索方法。

【請求項2】マルチメディアデータを保持するマルチメディアデータベースから該マルチメディアデータの任意の区間を検索するマルチメディアデータ検索方法であって、

前記マルチメディアデータ中のアノテーションが設定された特定区間を識別するための識別子と該特定区間の位置情報と該特定区間に付されたアノテーション情報とをアノテーションオブジェクトとして登録するステップレ

前記アノテーションオブジェクトに対する検索条件を入 力するステップと、

入力された検索条件で前記アノテーションオブジェクト を検索し、検索結果を取得するステップと、

前記検索結果に含まれるアノテーションオブジェクトに 該当するマルチメディアデータを取得して連続再生する ステップと、

再生中のアノテーションオブジェクトの登録の要否を入 力するステップと、

登録要と指示されたアノテーションオブジェクトの識別 子を登録するステップとを備えたことを特徴とするマル チメディアデータ検索方法。

【請求項3】請求項2に記載のマルチメディアデータ検索方法において、

前記検索結果に含まれるアノテーションオブジェクトに 対し、それらの再生順序を指定するステップを、さらに 備え、

前記連続再生するステップは、該指定された再生順序で 再生を行うことを特徴とするマルチメディアデータ検索 方法。

【請求項4】マルチメディアデータを保持するマルチメディアデータベースから該マルチメディアデータの任意の区間を検索するマルチメディアデータ検索装置であって、

前記マルチメディアデータ中のアノテーションが設定された特定区間を識別するための識別子と該特定区間の位

置情報と該特定区間に付されたアノテーション情報とを アノテーションオブジェクトとして登録する手段と、 前記アノテーションオブジェクトに対する検索条件を入 力する手段と

入力された検索条件で前記アノテーションオブジェクト を検索し、検索結果を取得する手段と、

前記検索結果に含まれるアノテーションオブジェクトに 該当するマルチメディアデータを取得して連続再生する 手段と

再生中のアノテーションオブジェクトの登録の要否を入 力する手段と、

登録要と指示されたアノテーションオブジェクトの識別 子を登録する手段とを備えたことを特徴とするマルチメ ディアデータ検索装置。

【請求項5】マルチメディアデータを保持するマルチメディアデータベースから該マルチメディアデータの任意の区間を検索するマルチメディアデータ検索方法に係るプログラムを記憶した記憶媒体であって、

該プログラムは、

前記マルチメディアデータ中のアノテーションが設定された特定区間を識別するための識別子と該特定区間の位置情報と該特定区間に付されたアノテーション情報とをアノテーションオブジェクトとして登録するステップと、

前記アノテーションオブジェクトに対する検索条件を入力するステップと、

入力された検索条件で前記アノテーションオブジェクト を検索し、検索結果を取得するステップと、

前記検索結果に含まれるアノテーションオブジェクトに 該当するマルチメディアデータを取得して連続再生する ステップと、

再生中のアノテーションオブジェクトの登録の要否を入 力するステップと、

登録要と指示されたアノテーションオブジェクトの識別 子を登録するステップとを備えたものであることを特徴 とする記憶媒体。

【発明の詳細な説明】

[0001]

【発明の属する技術分野】本発明は、映像、音響、及び アニメーションなどのマルチメディアデータを保存し、 再利用することを目的としたデータベースシステムに係 り、特にマルチメディアデータの効率的な検索方法、装 置、及び記憶媒体に関する。

[0002]

【従来の技術】マルチメディアデータベース検索に関する発明としては、例えば特開平10-21261号に記載のものがある。この発明は、利用者がメディアオブジェクトの特定区間にアノテーション(例えば、誰が登場している場面か、どういう風景であるかなどのコメント情報)を定義した際に、定義された対象メディアのオブ

ジェクトID、特定区間、及びアノテーション情報を一つのアノテーションオブジェクトとし、これらのアノテーションオブジェクトの集合を管理し、利用者がアノテーション検索条件を指定できるようにしている。検索結果はマルチメディアのアノテーションリストの一覧表示や映像の場合はサムネイル画像(特定区間の特定位置のフレーム1枚の静止画像)で表示する。

[0003]

【発明が解決しようとする課題】上記発明は、大量の映像データや音響データの中から所望する部分を検索し、ある程度候補を絞りこむには大変有効であるが、映像や音響は実際に見たり聞いてみないと所望する映像や音響であるかどうかわからない。検索結果として表示される映像のタイトルやサムネイル画像から更に再生を指示する操作は煩わしい。

【0004】本発明の目的は、上述の従来技術の問題点に鑑み、マルチメディアデータを検索したとき、検索結果に対して1つ1つ再生を指示する煩わしい操作を行うことなく、容易に検索結果を視聴して確認できるマルチメディアデータ検索方法、装置、及び記憶媒体を提供することを目的とする。

[0005]

【課題を解決するための手段】上記目的を達成するため、本発明は、マルチメディアデータを保持するマルチメディアデータベースから該マルチメディアデータ内で 意の区間を検索するマルチメディアデータ検索方法であって、前記マルチメディアデータ中のアノテーションが設定された特定区間を識別するための識別子と該特定区間の位置情報と該特定区間に付されたアノテーション情報とをアノテーションオブジェクトとして登録するステップと、前記アノテーションオブジェクトに該当するマルチメディアデータを検索し再生するステップと、検索結果のアノテーションオブジェクトの識別子を登録するステップとを備えたことを特徴とする。

【0006】また本発明は、マルチメディアデータを保 持するマルチメディアデータベースから該マルチメディ アデータの任意の区間を検索するマルチメディアデータ 検索方法であって、前記マルチメディアデータ中のアノ テーションが設定された特定区間を識別するための識別 子と該特定区間の位置情報と該特定区間に付されたアノ テーション情報とをアノテーションオブジェクトとして 登録するステップと、前記アノテーションオブジェクト に対する検索条件を入力するステップと、入力された検 索条件で前記アノテーションオブジェクトを検索し、検 索結果を取得するステップと、前記検索結果に含まれる アノテーションオブジェクトに該当するマルチメディア データを取得して連続再生するステップと、再生中のア ノテーションオブジェクトの登録の要否を入力するステ ップと、登録要と指示されたアノテーションオブジェク トの識別子を登録するステップとを備えたことを特徴と する。

【0007】前記検索結果に含まれるアノテーションオブジェクトに対し、それらの再生順序を指定するステップを、さらに備え、前記連続再生するステップは、該指定された再生順序で再生を行うようにするとよい。

【0008】また本発明は、マルチメディアデータを保 持するマルチメディアデータベースから該マルチメディ アデータの任意の区間を検索するマルチメディアデータ 検索装置であって、前記マルチメディアデータ中のアノ テーションが設定された特定区間を識別するための識別 子と該特定区間の位置情報と該特定区間に付されたアノ テーション情報とをアノテーションオブジェクトとして 登録する手段と、前記アノテーションオブジェクトに対 する検索条件を入力する手段と、入力された検索条件で 前記アノテーションオブジェク トを検索し、検索結果を 取得する手段と、前記検索結果に含まれるアノテーショ ンオブジェクトに該当するマルチメディアデータを取得 して連続再生する手段と、再生中のアノテーションオブ ジェクトの登録の要否を入力する手段と、登録要と指示 されたアノテーションオブジェクトの識別子を登録する 手段とを備えたことを特徴とする。

【0009】さらに本発明は、マルチメディアデータを 保持するマルチメディアデータベースから該マルチメデ ィアデータの任意の区間を検索するマルチメディアデー タ検索方法に係るプログラムを記憶した記憶媒体であっ て、該プログラムは、前記マルチメディアデータ中のア ノテーションが設定された特定区間を識別するための識 別子と該特定区間の位置情報と該特定区間に付されたア ノテーション情報とをアノテー ションオブジェクトとし て登録するステップと、前記ア ノテーションオブジェク トに対する検索条件を入力するステップと、入力された 検索条件で前記アノテーションオブジェクトを検索し、 検索結果を取得するステップと、前記検索結果に含まれ るアノテーションオブジェクト に該当するマルチメディ アデータを取得して連続再生するステップと、再生中の アノテーションオブジェクトの登録の要否を入力するス テップと、登録要と指示されたアノテーションオブジェ クトの識別子を登録するステップとを備えたものである ことを特徴とする。

[0010]

【発明の実施の形態】以下、図面を用いて本発明の実施 の形態を詳細に説明する。

【0011】図1に、本発明を適用したマルチメディアデータベース検索システムの構成を示す。本システムは、システム全体の制御及び種々の処理を実行する中央処理装置(CPU)10、CPU10で実行される処理プログラム群及び処理途中のデータなどを格納するメモリ20、コマンドやデータなどを入力する入力装置30、検索結果などを表示する表示装置40、映像や音響データなどの実体を蓄積するマルチメディアデータベース5

0、マルチメディア管理データベース60、アノテーション管理データベース70、検索結果格納テーブル80、並びに、検索結果登録テーブル90を備えている。(0012)これら各部は、データ/制御バス100を介して結ばれている。各データベース及びテーブル50~90はファイルやメモリなどで構成されるが、これらをまとめてハードディスク装置などに格納してもよい。メモリ20内には、マルチメディア登録処理21、アノテーション登録処理22、メディアデータ検索処理23、及びメディアデータ再生処理24がロードされている。またメモリ20内にはワークエリア25が確保されている。

【0013】これらの構成のもと、図2に示すフローチャートを用いて本実施の形態の概要を説明する。

【0014】ステップ201では、マルチメディア登録 処理21を行う。これは、マルチメディアデータをマル チメディアデータベース50に格納する処理である。マ ルチメディアデータベースとは、映像オブジェクト、音 響オブジェクト、アニメーションオブジェクト、図形オ ブジェクト、あるいはテキストオブジェクトなどからな る多数のマルチメディアデータを蓄積するファイルやテ ープの総称である。マルチメディア管理データベース6 0は、マルチメディアデータベース50に蓄積されるメ ディアデータを管理するデータベースである。

【0015】図3に、マルチメディア管理データベース 60に格納する内容をテーブル形式で示す。メディアデ ータ1つにつき1レコード(図3の1行分)が対応し、 その1レコードは、メディアオブジェクトID601、 タイトル名602、メディア識別コード603、格納情 報604、及び管理属性情報605のデータからなる。 【0016】図2のステップ201でマルチメディアデ ータベース50に新規にメディアデータを登録する場 合、操作者は、入力装置30を介して、マルチメディア 管理データベース60にメディアの管理情報を登録す る。操作者は、メディアのタイトル名602及びメディ ア識別コード603を入力するとともに、格納情報60 4 (メディアデータの実体を格納する場所)として当該 メディアのファイル名を入力する。必要に応じて、管理 属性情報605なども入力して登録する。メディアオブ ジェクトID601は、マルチメディア登録処理21で 既に登録されたメディアオブジェクト I Dと重複しない 番号をシステム側で採番する。

【0017】ステップ202では、アノテーション登録処理22を行う。映像データや音響(音楽など)データの場合、再生する特定区間の範囲の指定方法はメディアを格納する媒体や再生するハードウエア装置により数種類考えられるが、ここではSMPTEのタイムコード表記(H:MM:SS:FFの形式で、時:分:秒:フレームを表わす表記法)で統一する。映像データや音響データについては、開始タイムコードと終了タイムコードを指定する

ことにより、そのメディアデータの所望する部分を再生することが出来る。しかし、操作者がタイムコードを指定して再生を指示するのは、使い勝手が悪い。本実施形態のシステムでは、開始タイムコードと終了タイムコードで区切られる区間をオブジェクトと捉え、このオブジェクトに対してアノテーション(コメント情報)を付与する

【0018】図4は、アノテーションが付けられているオブジェクトの識別情報、特定区間、及びアノテーション情報をまとめて管理するアノテーション管理データベース70のテーブル構造を示す。アノテーション管理データベース70は、1オブジェクトに対し1レコード(図4の1行分)が対応し、その1レコードは、オブジェクトID701、対象メディアのメディアオブジェクトID702、アノテーションを付与する特定区間の開始タイムコード703と終了タイムコード704、及びアノテーション705は、操作者が映像の内容に対して設定するもので、1種類ないし複数種類設定してもよく、ここではキーワード7051、地名7052、時間7053、人物7054、固有名詞7055、及びイベント7056からなる。

【0019】図2に戻って、ステップ203では、メディアデータ検索処理23を行う。操作者は、所望する映像のアノテーションを検索条件として指定する。指定された検索条件に基づき、アノテーション管理データベース70を参照・検索実行し、その結果を検索結果格納テーブル80に格納する。

【0020】図5に、検索結果格納テーブル80の構造 を示す。検索結果格納テーブル80は、検索結果のレコ ード番号を示すカウンタ801、オブジェクトID80 2、タイトル名803、アノテーション804、メディ アオブジェクト I D 8 0 5、開始タイムコード 8 0 6、 及び終了タイムコード807から構成される。オブジェ クトID802、アノテーション804、メディアオブ ジェクト I D805、開始タイムコード806、及び終 了タイムコード807は、アノテーション管理データベ ース70のオブジェクトID701、アノテーション7 05、メディアオブジェクトID702、開始タイムコ ード703、及び終了タイムコード704をそれぞれ参 照して格納し、タイトル名803は、マルチメディア管 理データベース60のタイトル名602を参照して格納 する。カウンタ801は、メディアデータ検索処理23 が生成する。

【0021】再び図2に戻って、ステップ204では、メディアデータ再生処理24を行う。これは、検索結果格納テーブル80に登録された各オブジェクトを連続して再生する処理である。操作者は、連続して再生されたメディアを視聴しながら、1つ1つ所望するメディアであるか否かを判断し、所望するメディアのリストとして

検索結果登録テーブル90に登録する。

【0022】図6に、検索結果登録テーブル90の構造 を示す。検索結果登録テーブル90は、カウンタ90 1、オブジェクト I D 9 0 2、タイトル名 9 0 3、アノ テーション904、メディアオブジェクトID905、 開始タイムコード906、及び終了タイムコード907 から構成される。検索結果の映像を連続して再生してい るときに、所望するメディアであると操作者が指示した 場合、検索結果格納テーブル80のそのメディアのオブ ジェクト I D 8 0 2、タイトル名8 0 3、アノテーショ ン804、メディアオブジェクトID805、開始タイ ムコード806、及び終了タイムコード807を読み出 して、そのメディアのオブジェクトID902、タイト ル名903、アノテーション904、メディアオブジェ クトID905、開始タイムコード906、及び終了タ ・イムコード907に格納する。 カウンタ901は、メデ ィアデータ再生処理24が生成し格納する。

【0023】以下、各処理の詳細を説明する。

【0024】図7のフローチャートを参照して、ステップ202のアノテーション登録処理22の詳細を説明する。操作者が入力装置30を介してアノテーション登録処理202の開始を指示すると、ステップ221でアノテーション入力用画面を表示装置40に表示する。ここでは、マルチメディア管理データベース60のタイトル名602を参照し、ワークエリア25に読み込み、タイトル名602を一覧表示する。操作者は、この中からアノテーション登録の対象とするメディアオブジェクトのタイトル名を選択する(ステップ222)。

【0025】ステップ223において、ステップ222で指定されたメディアオブジェクトを再生し、操作者は、それを視聴しながらアノテーションを設定したい区間のオブジェクトの開始タイムコード及び終了タイムコードを検出する。各タイムコードの検出は、メディア再生中に表示装置に表示される時間で判断してもよいし、操作者がアノテーションを設定したい区間中で特定ボタンを押し続けることにより、再生するためのソフトウエアがタイムコードを検出してもよい。対象区間を確定後、ステップ224で、開始タイムコード、終了タイムコード、及びアノテーションを入力する。

【0026】ステップ225で、操作者が"登録する"を指示した場合はステップ226に進み、"登録しない"を指示した場合はステップ228に進む。ステップ226ではオブジェクトIDを生成する。ステップ227では、アノテーション管理データベース70(図4)に登録を行なう。すなわち、ステップ226で生成したオブジェクトIDをオブジェクトID701に、マルチメディア管理データベース60のメディアオブジェクトID601の値をメディアオブジェクトID702に設定し、さらにステップ224で操作者が指定した開始タイムコード、終了タイムコード、及びアノテーションを

開始タイムコード703、終了タイムコード704、及 びアノテーション705にそれぞれ格納する。

【0027】例えば、図3のメディアオブジェクトID "M01"の区間00:29:22:15~00:31:55:52に"花 桜"というキーワードのアノテーションを付けると、図4に示すように、アノテーション管理データベース70のメディアオブジェクトID702の項目には"M01"、開始タイムコード703は"00:29:22:15"、終了タイムコードは704"00:31:55:52"、アノテーション7051として"花 桜"が、それぞれ登録される。アノテーションは複数種類の設定も可能であり、ここでは地名7052、時間7053、人物7054、固有名詞7055、及びイベント7056もそれぞれ設定している。また、アノテーション登録処理22が値を生成したオブジェクトID701は"A01"となっている。

【0028】操作者が登録処理の終了を指示すると、ステップ228においてアノテーション入力用画面を消去する。

【0029】次に、図8のフローチャートを用いて、ス テップ203のメディアデータ検索処理23の詳細を説 明する。操作者が入力装置30を介してメディアデータ 検索処理23の開始を指示すると、ステップ231で検 索条件入力用画面を表示装置40に表示する。図10 に、検索条件指定画面41の例を示す。ステップ232 において、図10のキーワード指定エリア401のキー ワード入力エリア4011に所望するメディアオブジェ クトの検索条件を指定する。複数の検索条件を指定する 場合(キーワード入力エリア4011に、複数のキーワ ードをスペースで区切って入力)は、 "全てのキーワー ド" 4012か"いずれかのキーワード" 4013のど ちらかを選択する。ここでは操作者が"花"を検索条件 として入力したと仮定して説明する。検索条件指定画面 41の "OK" ボタン405を押下すると、ステップ2 33で、アノテーション管理データベース70(図4) から検索条件に対応するオブジェクトID701、メデ ィアオブジェクトID702、開始タイムコード70 3、及び終了タイムコード704を検索するためのSQ L文を生成する。

【0031】次に、ステップ234において、前ステップで生成したSQL文を実行し、その検索結果はワークスペース25に展開される検索結果格納テーブル80(図5)上に格納する(ステップ235)。すなわち、検索条件に合致したアノテーション管理データベース70のレコードから、オブジェクトID701をオブジェ

クトID802に、メディアオブジェクトID702をメディアオブジェクトID805に、アノテーション7051をアノテーション804に、開始タイムコード703を開始タイムコード806に、終了タイムコード704を終了タイムコード807に、それぞれ転記する。タイトル名803は、マルチメディア管理データベース60を参照し、メディアオブジェクトID805と一致するメディアオブジェクトID601に対応するタイトル名602を検索して格納する。検索結果のレコードを特定するためのカウンタ801の値は、ここで生成した値を設定する。

【0032】次に、操作者が検索結果の表示(再生)を 指示することにより、検索条件入力用画面(図10)を 表示装置40から消去し(ステップ236)、メディア データ検索処理23を終了する。

【0033】なお、上記では図10の画面でキーワードを入力して検索する例を説明したが、撮影期間指定エリア402で"指定する"4021を選択し期間4023、4024を入力することにより、その期間内に撮影されたメディアから検索することもできる。この場合、撮影期間402とキーワード401を指定すれば、その撮影期間内に撮影されたメディア中からそのキーワードを持つメディアオブジェクトを検索できる。

【0034】図9のフローチャートを用いて、ステップ 204のメディアデータ再生処理24の詳細を説明す る。図8で説明したメディアデータ検索処理23におい て、操作者が結果の視聴(再生)を指示すると、自動的 にメディアデータ再生処理24に移行して図9の処理が 起動する。まずステップ241で、プログラムカウンタ にiに1をセットする。ステップ242では、ワークエ リア25に展開されている検索結果格納テーブル80 (図5)を参照し、カウンタ801の値がプログラムカ ウンタiの値と一致するメディアオブジェクトID80 5の値を検出する(図5の例では、i=1の場合、"MO 1")。ステップ243では、前ステップで検出したメ ディアオブジェクトID805と一致するマルチメディ ア管理データベース60のメディアオブジェクトID6 01に対応するマルチメディアの実体の格納情報604 をマルチメディア管理データベース60から検索するた めのSQL文を生成する。

【0035】例えば、検索条件として、メディアオブジェクトIDが "MO1" とすると、SQL文は SELECT 格納情報 FROM マルチメディア管理データベース WHERE メディアオブジェクトID = 'MO1' となる。

【0036】ステップ244では、前ステップで生成したSQL文を実行する。ステップ245において、ステップ244で検出した格納情報604、カウンタ801の値がiであるレコードの開始タイムコード806及び終了タイムコード807の値を引数として映像再生ソフ

トウエアを起動し、表示装置40に再生する。図17は 再生された画面例を示す。操作者は再生されている映像 を視聴し、所望する映像であるか否かを判断する。再生 中に操作者から「所望する映像データではない」との指 示があった場合(ステップ246)は、映像の再生を中 止し、ステップ248に進む。ステップ246で操作者 から「登録する」との指示があった場合は、ステップ2 47で検索結果登録テーブル90(図6)に検索結果格 納テーブル80の該当レコードを転記して、ステップ2 48に進む。

【0037】ステップ248でメディアデータ再生処理 24は、検索結果格納テーブル80に現在のカウンタi の次のレコードがあるか否かを判定し、次レコードなし と判定した場合は処理を終了し、そうでないときはステ ップ249でカウンタiをカウントアップし、再びステ ップ242からの処理を行う。メディアデータ再生処理 24の終了時には、検索結果登録テーブル90(図6) は、操作者が所望するメディアのリストとなっている。 【0038】以上の図9の処理により、図5のような検 索結果の各メディアオブジェクトを順に連続的に再生 し、操作者は再生されている映像を見て所望のものであ ったときには所定のボタンを押すなどの「登録する」操 作を行うことができる。また、所望の映像でないとき は、その旨指示することにより、自動的に次の映像の再 生に移行する。したがって、図5のように検索されたメ ディアオブジェクトについて1つ1つ再生の指示を行う ことなく、連続的に試聴してそれらの映像のうちのどれ を「登録する」か指定できる。最終的に、登録したリス トは、図6のように得ることができる。

【0039】本実施の形態ではステップ203とステップ204は連続して行ったが、ステップ203で検索結果格納テーブル80を生成した後、別途ステップ204を行なっても構わない。

【0040】また、本実施の形態では、検索後、直ちに 検索結果の映像の再生を行った。しかし、検索結果によ ってはさらに条件を絞り込みたいなど、最終的な結果は 映像を再生することにより確認したいが、とりあえず結 果を映像以外で参照したいという場合もある。このよう な場合に対応するために、結果の表示方法を指定できる ようにする。すなわち、図10に示す検索条件入力画面 41において、検索結果表示方法指定エリア403を設 ける。該エリア403で"再生する"4031を指定す ると、上述したように、検索後直ちに結果を連続的に再 生する。"リストで表示"4032を指定すると、検索 後、検索結果格納テーブル80(図5)のタイトル名8 03を一覧表示する。アノテーション登録処理22にお いて、アノテーションの代表画像であるサムネイル画像 を登録した場合、"サムネイルで表示"4033を指定 すると、検索結果としてサムネイル画像を一覧表示す る。なお、"リストで表示"した後、あるいは"サムネ

イルで表示"した後、再度検索条件を絞り込んで検索し 直したり、所定の操作により図9の再生・登録の処理を 起動することができる。

【0041】検索結果を格納した検索結果格納テーブル80を、アノテーションの内容で並び替えることにより、再生順序を指定することが出来る。そのために、メディアデータ検索処理23において、図10の検索条件入力画面41に、撮影年月日4041、タイトル4042、及び属性(アノテーション)4043から構成する検索結果表示順序指定エリア404を設ける。検索結果表示順序指定エリア404において、撮影年月日4041を選択した場合は、検索結果を撮影日が古い順に再生する。タイトル4042を選択した場合は、検索結果をタイトル名をソートした結果順に再生する。属性4043を選択した場合は、検索結果をアノテーションで指定した順番に再生する。アノテーションでの順番の指定は属性設定ボタン4044を押下して表示される画面(後述)で行なう。

【0042】例えば、操作者が、図8のステップ232において、検索条件として、キーワード入力エリア4011に"花"と入力し、撮影年月日4041を選択すると、ステップ233で生成するSQL文はSELECT オブジェクトID, キーワード、時間,メディアオブジェクトID,開始タイムコード,終了タイムコード FROM annotation WHERE キーワード LIKE '%花%' Order By 時間となる。

【0043】ステップ234においてこのSQL文を実行し、ステップ235において登録した検索結果格納テーブル80を、図11に示す。図11の検索結果テーブル80では、検索結果が撮影年月日順に並べられているので、連続再生はこの順に行われる。

【0044】操作者が、図8のステップ232におい て、検索条件として、キーワード入力エリア4011に "花"と入力し、タイトル4042を選択すると、ステ ップ235において結果格納テーブル80の編集処理を 行う。図12は、この場合のステップ235の処理の詳 細を示すフローチャートである。 ステップ 2351 にお いて、検索結果を検索結果格納テーブル80に書込む。 検索結果テーブル80は、図5の状態であるとする。ス テップ2352において、検索結果表示順序指定エリア 404で、タイトル4042または属性4043の指定 があるか否か判定する。何れかの指定がある場合は、ス テップ2353に進む。何も指定がない、あるいは撮影 年月日4041の指定であると判定した場合、処理は終 了する。ステップ2353においてタイトル4042の 指定があったと判定した場合、タイトル名803のコー ド順でレコードを並べ替える(ステップ2354)。図 13に、並べ替えた検索結果格納テーブル80を示す。 図13の検索結果格納テーブル80では、検索結果がタ イトル名順(コード順)に並べられているので、連続再 生はこの順に行われる。

【0045】操作者が、図8のステップ232において、検索条件として、キーワード入力エリア4011に "花"と入力し、属性4043を選択し、 "属性設定" ボタン4044を押下すると、表示装置40に、図14に示す属性(アノテーション) 設定画面42が表示される。この属性設定画面42により、アノテーションの内容で検索結果の映像の再生順序を指定する。図4のアノテーション管理データベース70のアノテーション705は、キーワード7051、地名7052、時間7053、人物7054、固有名詞7055、及びイベント7056からなるので、図14の属性設定画面42は、キーワード421、地名422、時間423、人物424、固有名詞425、及びイベント426の各画面から構成する。

【0046】図14は、キーワードによる再生順序の指定画面を表示したところである。テキストフィールド4211~4216にキーワードを設定する。再生時には、テキストフィールド4211に入力したキーワードを含む映像を最優先に再生する。テキストフィールド4211に入力したキーワードを含む映像が複数あってもよい。次に、テキストフィールド4212に入力したキーワードを含む映像を再生し、さらにテキストフィールド4215、及びテキストフィールド4216の順で再生した後、検索結果格納テーブル80上で、テキストフィールド4213~4216のキーワードに該当しない映像を再生することになる。

【0047】図14の画面でアノテーションによる再生順序が指定されたときには、ステップ235で図12の処理が実行される。ここでは属性4043が選択されているので、ステップ2355が実行される。これにより、検索結果格納テーブル80は、図15になる。図15の検索結果格納テーブル80では、検索結果が、図14で指定されたようなアノテーションの順に並べられているので、連続再生はこの順に行われる。

【0048】図16のフローチャートを参照して、ステップ2355の処理の詳細を説明する。ステップ251において、ワークエリア25上に図5の検索結果格納テーブル80を複製する。ステップ252において、図14の属性(アノテーション)設定画面42で設定されているアノテーションの種別を検出する。ここでは、キーワードが該当する。ステップ253で、第1番目のテキストフィールド4211の値を参照する。ここでは

"梅"となっているので、ステップ254で検索結果格納テーブル80(図5)を参照し、アノテーションで "梅"を含むレコードを検索する。該当レコードをワークエリア25上の検索結果格納テーブル80に転記する。

【0049】次のテキストフィールドにキーワードが入

力されているか否かをステップ256で判定し、入力されている場合はステップ253に戻り、されていない場合はステップ257の処理に進める。未転記のレコードがある場合はステップ257で転記し、ワークエリア25上の検索結果格納テーブル80をディスク上に格納し、処理を終了する。これにより、図5のテーブルから図15のようなアノテーションでソートされたテーブルが得られる。

[0050]

【発明の効果】通常、映像などのマルチメディアデータの検索結果は、タイトル名などで表示される。しかし、実際に映像などを視聴してみなければ、本当に欲しいマルチメディアデータであるかどうかは分からず、タイトルに該当するマルチメディアデータのファイルに対し、1つ1つ再生の指示を出す必要がある。本発明によれば、マルチメディアデータの検索結果を連続して再生するので、検索結果に対して1つ1つ再生を指示する煩わしい操作を行うことなく、容易に検索結果を視聴して確認することができる。また、再生する順番をアノテーション情報などで指定できるので、ユーザの所望の順番で検索結果を連続的に視聴することができる。

【図面の簡単な説明】

【図1】本発明を適用したマルチメディアデータベース 検索システムの基本構成図

【図2】図1のシステムの基本動作を説明するためのフローチャート図

【図3】マルチメディア管理データベースの構造図

【図4】アノテーション管理データベースの構造図

【図5】検索結果格納テーブルの構造図

【図6】検索結果登録テーブルの構造図

【図7】アノテーション登録処理の詳細フローチャート 図

【図8】メディアデータ検索処理の詳細フローチャート 図

【図9】メディアデータ再生処理の詳細フローチャート 図

【図10】検索条件指定画面を示す図

【図11】検索結果格納テーブル(撮影年月日順指定) の構造図

【図12】結果格納テーブル編集処理詳細フローチャート図

【図13】検索結果格納テーブル(タイトル名指定)の 構造図

【図14】アノテーション設定画面を示す図

【図15】検索結果格納テーブル(アノテーション指定)の構造図

【図16】アノテーションでソートする処理のフローチャート図

【図17】再生画面例を示す図

【符号の説明】


10…中央処理装置 (PU)、20…メモリ、21…マルチメディア登録処理、22…アノテーション登録処理、23…メディアデータ検索処理、24…メディアデータ再生処理、25…ワークエリア、30…入力装置、40…表示装置、50…マルチメディアデータベース、60…マルチメディア管理データベース、70…アノテーション管理データベース、80…検索結果格納テーブル、90…検索結果登録テーブル、100…データ/制御バス。

【図3】

マルチメテ	ィア管理デーパース	60		
601	602	603	604	605
オプジェクトロ	タイトル名	メディア能別コード	海納情報	管理混论情報
401	入学式	Video. · · ·	/t=p/V/file1	
702	合唱	Audio, • • •	/L=D/A/file1	
501	さるス体み	Video. · · ·	/t=p/Y/file3	. •••
404	事の訪れ	Video, · · ·	/t=p/Y/f11e4	•••
505	新潟の岐しい5月	Video, · · ·	/t=p/V/file5	
•	•	•	•	•
•		•		

【図6】

_		課登録テーブル 9 902 908	904	905	906	907
29>9	おプジェナト ID	タイトル名	7/5〜53ン	37 47 47 9 291	別給タイム コ・ド	終了タイム コード
i T	AOT	入学式	作权	MOT	00:28:22:15	00:31:55:52
12	A05	春の飲れ	作機	804	00:40:31:46	00:41:01:23
i 3	AD1	BOTTO	15 18	MD4	00 - 54 - 24 - 07	DO:55:24:07



【図13】

		保格第テーブル(802 803	*0	A 0 5	806	807
27/8	\$7 % 19} ID	タイトル名	アノブーション	が 47 オブジ 19ト ID	「開始タイム コード	終了タイム コード
	A05	さる原体み!	花 内日葵	F02	00:28:07:57	00:30:45:01
7	A07	新雄のほしい5月	在 さつき	NO5	00:07:08:27	00:07:10:20
13	A01	入学式	花椒	MO1	00:29:22:15	00:31:55:52
4	AOS	春の訪れ	花聲	H04	00:54:24:07	00:55:24:07
5	A05	草の時れ	花舞	H04	00:40:31:45	D0:41:01:28

【図4】

	/テーション 01 702	プロデータベ・ 703	-2 10 104	70870	51,70	5 2 7	059 7	054 7	055 70
47 ° 191	र्ज त	別給タイム	装丁タイム		1179	・シュン	//		
10	37 y 19}	コード	- F	キーワード	48	均 图	人物	四有名詞	44°24
ADT	201	00:29:22:16	00:31:55:52	在書	東京都	1998.4	丸山太郎	O228	花兒
ADZ	205	00:35:45:33	00:37:25:48	波日地 井当	千葉祭	1974.5	海川花子	OX3X	3.5
YD3	503	00:25:15:28	00:25:35:55	ブール 浮稿	埼玉県	1990.8	丸山太郎	ムブール	夏休み
A04	205	00:13:53:35	00:14:05:34	公日 日在車	1000	1985.5	角川花子	02E	9(3959
AD5	203	00:28:07:57	00:30:45:01	在内日葵	348	1989.8	当川花子	OĦ	夏馀办
A06		00:40:31:45	00:41:01:21	7E W	茨城県	1985.2	二萬一郎	00	事機
A07	05	00:07:08:27	00:07:10:20	7E 2 2 8	栃木県	2000. 8	丸山太郎	门铁塔	5月是体
AOI	204	00:54:24:07	00:55:24:07	花椒	交長県	1970.4	三角一郎	ΔШ	在見
		•	A 02 8 A	•	•			•	
	-	•	•	• .	·	•	•	•	•
									1 • 1

【図5】


	検索分	8果格勢テーブル (3 0			
	801	802 803	804	805	806	807
		/ <u>/</u>				
2979	おびら、30ト 10	タイトル名	7/7ーション	17 17 17 9 19) 10	開始タイム コード	終了タイム コード
1	AUT	入学式	化妆	WOT	90:29:22:15	00:31:55:52
12	A05	さら里休み	化 阿日县	F0.1	00:28:07:57	00:35:45:01
13	AOL	そのおれ	任梅	104	00:40:31:46	00:41:01:23
4	A07	新羅の胜しい5月	化 さつぎ	¥05	00:07:08:27	00:07:10:20
5	ADS	子の訪れ	框架	MO4	00:54:24:07	00:55:24:07
	•	•	• .		•	•
		•	•		•	•
			•		•	l •

【図11】


_		記集格勢テーブル 8 802 803	80 804	1	. a o s	806	807
artore	17 9' z91	タイトル名	7/7-	ゲョン	オグジュシト	関始タイム	終了タイム
""	10	241774	キーソード	時期	ID I	コード	コード
1	A05	さる見体み!	花 内日葵	1965. Z	103	00:28:07:57	CO:30:45:0)
7	ADT	新練の眩しいり	化さつき	1970.4	MO5	00:07:08:27	00:07:10:20
13	A08	春の訪れ	花葉	1988.8	804	00:54:24:07	00:55:24:07
4	AD6	尋の動れ	花梅	1998.4	1004	00:40:31:46	00:41:01:23
1 3	AOI	入学式	花桜	2000.5	1001	00:29:22:16	00:31:55:52
1-	•	•	•	•		•	•
	•	•	•	•		•	•
<u>•</u>	•	•	•	•		•	· ·
			104	1 8	143	<u>-</u>	

【図15】

		現得到ケーブル (
	801	802 803	804	606	806	807
2979	17 9' ±91-	タイトル名	キーツード	37 47 27 5° 191	関始タイム コード	発了タイム
7	A08	春の味れ	化 梅	1004	00:40:31:46	00:41:01:23
2	A01	入学式	花器	801	00:29:22:15	00:31:55:52
7	ADS	等の訪れ	花桜	B 04	00:54:24:07	00:55:24:07
4	A07	さら夏休み!	花向日夷		00:28:07:57	00:30:45:01
-5	BOA	新緑の眩しい5月		10015	00:07:08:27	00:07:10:20




【図9】




(13) 特開2002-7419(P2002-7419A)

【図10】




(14) 特開2002-7419(P2002-7419A)

【図12】




【図17】




Best Available Copy

(15) 特開2002-7419(P2002-7419A)



(16) 特開2002-7419(P2002-7419A)

【図16】



フロントページの続き

Fターム(参考) 58075 ND16 NK25 NK31 PP03 PP13 PP23 PQ02 PQ46 PQ48

PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2002-007419

(43)Date of publication of application: 11.01.2002

(51)Int.CI.


G06F 17/30

(21) Application number: 2000-187747 (71) Applicant: HITACHI LTD

(22)Date of filing: 22.06.2000 (72)Inventor: KONDO KO

IWASAKI KAZUMASA

(54) MULTIMEDIA DATA RETRIEVING METHOD, ITS DEVICE AND STORAGE MEDIUM



(57)Abstract:

PROBLEM TO BE SOLVED: To provide a retrieving method, its device and a storage medium capable of easily viewing and retrieving a retrieval result without performing instructing operations to retrieval results one by one when data is retrieved in retrieval of multimedia data such as video.

SOLUTION: An identifier to identify a specific section in which annotation is set in the multimedia data, positional information of the specific section and annotation information attached to the specific section are preliminarily registered as annotation objects. An annotation object is retrieved by specified retrieval

conditions, the retrieval result is acquired, the applicable multimedia data is obtained and continuously reproduced. Necessity/unnecessity of registration of the annotation object under reproduction is further inputted and the identifier of the annotation object the registration of which is instructed to be necessary is registered.

LEGAL STATUS

[Date of request for examination] 30.01.2004

Date of sending the examiner's decision of

rejection]

Kind of final disposal of application other

than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's

decision of rejection]

Date of requesting appeal against

examiner's decision of rejection| [Date of extinction of right] Copyright (C): 1998,2003 Japan Patent Office

NOTICES *

JPO and NCIPI are not responsible for any

damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.

2.**** shows the word which can not be translated.

3.In the drawings, any words are not translated.

CLAIMS

Claim(s)

[Claim 1] It is the multimedia data retrieval approach of searching the section of the arbitration of these multimedia data from the multimedia database holding multimedia data. The step which registers the identifier for identifying the specific section when the annotation in said multimedia data was set up, the positional information of this specific section, and the annotation information attached at this specific section as an annotation object, The multimedia data retrieval approach characterized by having the step which searches the multimedia data applicable to said annotation object, and is reproduced, and the step which registers the identifier of the annotation object of a

(Claim 2] It is the multimedia data retrieval approach of searching the section of the arbitration of these multimedia data from the multimedia database holding multimedia data. The step which registers the identifier for identifying the specific section when the annotation in said multimedia data was set up, the positional information of this specific section, and the annotation information attached at this specific section as an annotation object, The step which inputs the retrieval conditions over said annotation object. The step which searches said annotation object with the inputted retrieval conditions, and acquires a retrieval result, The step which acquires the multimedia data applicable to the annotation object contained in said retrieval result, and carries out

continuation playback, The multimedia data retrieval approach characterized by having the step which inputs the necessity of registration of the annotation object under playback, and the step which registers the identifier of the annotation object instructed to be a registration important point.

[Claim 3] It is the multimedia data retrieval approach which is further equipped with the step which specifies those playback sequence to the annotation object contained in said retrieval result in the multimedia data retrieval approach according to claim 2, and is characterized by reproducing said step which carries out continuation playback in order of the this specified playback.

[Claim 4] It is multimedia data retrieval equipment with which the section of the arbitration of these multimedia data is searched from the multimedia database holding multimedia data. A means to register the identifier for identifying the specific section when the annotation in said multimedia data was set up, the positional information of this specific section, and the annotation information attached at this specific section as an annotation object, A means to input the retrieval conditions over said annotation object, A means to search said annotation object with the inputted retrieval conditions, and to acquire a retrieval result, The means which acquires the multimedia data applicable to the annotation object contained in said retrieval result, and carries out continuation playback, Multimedia data retrieval equipment characterized by having a means to input the necessity of registration of the annotation object instructed to be a registration important point.

[Claim 5] It is the storage which memorized the program concerning the multimedia data retrieval approach of searching the section of the arbitration of these multimedia data from the multimedia database holding multimedia data. The step which registers an identifier for this program to identify the specific section when the annotation in said multimedia data was set up, the positional information of this specific section, and the annotation information attached at this specific section as an annotation object, The step which inputs the retrieval conditions over said annotation object, The step which searches said annotation object with the inputted retrieval conditions, and acquires a retrieval result, The step which acquires the multimedia data applicable to the annotation object contained in said retrieval result, and carries out continuation playback, The storage characterized by having the step which inputs the necessity of registration of the annotation object under playback, and the step which registers the identifier of the annotation object instructed to be a registration important point.

[Translation done.]

• NOTICES •

JPO and NCIPI are not responsible for any

damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.

- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

000

Field of the Invention] This invention saves multimedia data, such as an image, sound, and animation, relates to the database system aiming at reusing, especially relates to the efficient search method of multimedia data, equipment, and a storage.

0007

(Description of the Prior Art] As invention about multimedia database retrieval, the thing of a publication is, for example in JP,10-21261,A. This invention makes Object ID, the specific section, and annotation information on the object media defined when a user defined an annotation (for example, what kind of scenery [the scene where who has appeared and] it is, comment information) as the specific section of a media object one annotation object, and manages the set of these annotation objects, and the user enables it to specify annotation retrieval conditions. In the case of the list display of the annotation list of multimedia, or an image, a retrieval result expresses as a thumbnail image (static image of one frame of the specific location of the specific section).

Problem(s) to be Solved by the Invention! The above-mentioned invention searches the part for which it asks out of a lot of image data or sound data, and although it is very effective in narrowing down a candidate to some extent, it does not know whether an image and sound are the images and sound for which it will ask if it does not actually see or is not heard. Actuation of directing playback further from the title and thumbnail image of the image displayed as a retrieval result is troublesome.

[0004] The purpose of this invention aims at offering the multimedia data retrieval approach that a retrieval result can be viewed, listened to it and checked easily,

equipment, and a storage, without performing troublesome actuation of directing playbacks one by one to a retrieval result, when multimedia data are searched in view of the trouble of the above-mentioned conventional technique.

005

[Means for Solving the Problem] In order to attain the above-mentioned purpose, this invention is the multimedia data retrieval approach of searching the section of the arbitration of these multimedia data from the multimedia database holding multimedia data. The step which registers the identifier for identifying the specific section when the annotation in said multimedia data was set up, the positional information of this specific section, and the annotation information attached at this specific section as an annotation object, It is characterized by having the step which searches the multimedia data applicable to said annotation object, and is reproduced, and the step which registers the identifier of the annotation object of a retrieval result.

[0006] Moreover, this invention is the multimedia data retrieval approach of searching the section of the arbitration of these multimedia data from the multimedia database holding multimedia data. The step which registers the identifier for identifying the specific section when the annotation in said multimedia data was set up, the positional information of this specific section, and the annotation information attached at this specific section as an annotation object, The step which inputs the retrieval conditions over said annotation object, The step which searches said annotation object with the inputted retrieval conditions, and acquires a retrieval result, The step which acquires the multimedia data applicable to the annotation object contained in said retrieval result, and carries out continuation playback, It is characterized by having the step which inputs the necessity of registration of the annotation object under playback, and the step which registers the identifier of the annotation object instructed to be a registration important point.

[0007] It has further the step which specifies those playback sequence to the annotation object contained in said retrieval result, and said step which carries out continuation playback is good to be made to reproduce in order of the this specified playback.

[0008] Moreover, this invention is multimedia data retrieval equipment with which the section of the arbitration of these multimedia data is searched from the multimedia database holding multimedia data. A means to register the identifier for identifying the specific section when the annotation in said multimedia data was set up, the positional information of this specific section, and the annotation information attached at this specific section as an annotation object, A means to input the retrieval conditions over said annotation object, A means to input the retrieval conditions over said annotation object, A means to search said annotation object with the inputted

retrieval conditions, and to acquire a retrieval result, The means which acquires the multimedia data applicable to the annotation object contained in said retrieval result, and carries out continuation playback, It is characterized by having a means to input the necessity of registration of the annotation object under playback, and a means to register the identifier of the annotation object instructed to be a registration important

[0009] Furthermore, this invention is the storage which memorized the program concerning the multimedia data retrieval approach of searching the section of the arbitration of these multimedia data from the multimedia database holding multimedia data. The step which registers an identifier for this program to identify the specific section when the annotation in said multimedia data was set up, the positional information of this specific section, and the annotation information attached at this specific section as an annotation object, The step which inputs the retrieval conditions over said annotation object, The step which searches said annotation object with the inputted retrieval conditions, and acquires a retrieval result, The step which acquires the multimedia data applicable to the annotation object contained in said retrieval which inputs the necessity of registration of the annotation object under playback, and the step which registers the identifier of the annotation object instructed to be a registration important point.

[000]

[Embodiment of the Invention] Hereafter, the gestalt of operation of this invention is explained to a detail using a drawing.

(0011] The configuration of the multimedia database retrieval system which applied this invention to drawing 1 is shown. This system System-wide control and various processings The stereo of the indicating equipment 40 which displays the input device 30 which inputs the memory 20 and the command which store the data in the middle of the central processing unit (CPU) 10 to perform, the processing program group performed by CPU10, and processing etc., data, etc., a retrieval result, etc., an image, sound data, etc., etc. The multimedia database 50 to accumulate, the multimedia management database 60, the annotation management database 70, the retrieval result storing table 80, and the list are equipped with the retrieval result registration table 90. [0012] These each part is connected through data / control bus 100. Although each database and tables 50-90 consist of a file, memory, etc., they may store these in a hard disk drive unit etc. collectively [tables]. In memory 20, the multimedia registration processing 21, the media data retrieval

processing 23, and the media data regeneration 24 are loaded. Moreover, the work area 25 is secured in memory 20.

[0013] The outline of the gestalt of this operation is explained using the flow chart shown in the basis of these configurations, and $\overline{drawing 2}$.

[0014] Multimedia registration processing 21 is performed at step 201. This is processing which stores multimedia data in a multimedia database 50. A multimedia database is the file and the generic name of a tape which store much multimedia data which consist of an image object, a sound object, an animation object, a graphic form object, or a text object. The multimedia management database 60 is a database which manages the media data stored in a multimedia database 50.

[0015] The contents stored in the multimedia management database 60 at <u>drawing 3</u> are shown in a table format. One record (one line of <u>drawing 3</u>) corresponds per media data, and the one record consists of data of the media object ID 601, the title name 602, the media identification code 603, the storing information 604, and the management attribute information 605.

[0016] When registering media data into a multimedia database 50 newly at step 201 of drawing 2, an operator registers the management information of media into the multimedia management database 60 through an input device 30. An operator inputs the file name of the media concerned as storing information 604 (location which stores the stereo of media data) while inputting the title name 602 and the media identification code 603 of media. The management attribute information 605 etc. is inputted and registered if needed. The media object ID 601 **** the number which does not overlap the media object ID already registered by the multimedia registration processing 21 by the system side.

image data or sound data (music etc.), the specification method of the range of the specific section to reproduce is considered in some numbers by the medium which stores media, or the hardware to reproduce, but it unifies here with the time code notation (minute: at the time [Being the format of HH:MM:SS:FF.]: second: notation showing a frame) of SMPTE. About image data or sound data, the part for which the media data asks is reproducible by specifying an initiation time code and a termination time code. However, it is user unfriendly that an operator specifies a time code and directs playback. In the system of this operation gestalt, the section divided with an initiation time code and a termination time code is caught with an object, and an annotation (comment information) is given to this object.

(0018) Drawing 4 shows the table structure of the annotation management database 70

which manages collectively the identification information, the specific section, and annotation information on the object to which the annotation is attached. As for the annotation management database 70, the one record consists of data of the initiation time code 703 of the specific section when one record (one line of <u>drawing 4</u>) corresponds at, and gives an object ID 701, the media object ID 702 of object media, and an annotation, the termination time code 704, and an annotation 705 to one object. An operator sets up an annotation 705 to the contents of the image, and it does not have one kind, may be set up two or more kinds, and consists of a keyword 7051, the name of a place 7052, time amount 7053, a person 7054, a proper noun 7055, and an event 7056

. .

(0019) It returns to <u>drawing 2</u> and media data retrieval processing 23 is performed at step 203. An operator specifies the annotation of the image for which it asks as retrieval conditions. Based on the specified retrieval conditions, reference / retrieval activation of the annotation management database 70 is carried out, and the result is stored in the retrieval result storing table 80.

[0020] The structure of the retrieval result storing table 80 is shown in drawing 5. The retrieval result storing table 80 consists of the counter 801 which shows the record number of a retrieval result, an object ID 802, the title name 803, an annotation 804, a media object ID 805, an initiation time code 806, and a termination time code 807. An object ID 802, an annotation 804, the media object ID 805, the initiation time code 806, and the termination time code 807 are stored respectively with reference to the object ID 701, the annotation 705, the media object ID 702, the initiation time code 703, and the termination time code 704 of the annotation management database 70, and the title name 803 stores them with reference to the title name 602 of the multimedia management database 60. The media data retrieval processing 23 generates a counter

[0021] It returns to <u>drawing 2</u> again and media data regeneration 24 is performed at step 204. This is processing which reproduces continuously each object registered into the retrieval result storing table 80. An operator judges whether they are the media for which it asks one by one, and registers with the retrieval result registration table 90 as a list of the media for which it asks, viewing and listening to the media reproduced continuously.

[0022] The structure of the retrieval result registration table 90 is shown in <u>drawing 6</u>. The retrieval result registration table 90 consists of a counter 901, an object ID 902, the title name 903, an annotation 904, a media object ID 905, an initiation time code 906, and a termination time code 907. While reproducing the image of a retrieval result

continuously, when an operator directs to be the media for which it asks, the object ID 802, the title name 803, the annotation 804, the media object ID 805, the initiation time code 806, and the termination time code 807 of the media of the retrieval result storing table 80 are read, and it stores in the object ID 902, the title name 903, the annotation 904, the media object ID 905, the initiation time code 907 of the media. The media data regeneration 24 generates and stores a counter

[0023] Hereafter, the detail of each processing is explained.

[0024] With reference to the flow chart of <u>drawing 7</u>, the detail of the annotation registration processing 22 of step 202 is explained. If an operator directs initiation of the annotation registration processing 202 through an input unit 30, the screen for an annotation input will be expressed to a display 40 as step 221. Here, with reference to the title name 602 of the multimedia management database 60, it reads into a work area 25 and the title name 602 is indicated by list. An operator chooses the title name of the media object made into the object of annotation registration out of this (step 222).

detects the initiation time code and termination time code of an object of the section to set an annotation, viewing and listening to it. Detection of each time code may be judged by the time amount displayed by the display during media playback, and the software for reproducing may detect a time code by continuing pushing a specific carbon button all over the section to which an operator wants to set an annotation. An initiation time code, a termination time code, and an annotation are inputted at step 224 after deciding the object section.

[0026] At step 225, when an operator directs "to register", it progresses to step 226, and when "not registering" is directed, it progresses to step 228. Object ID is generated at step 226. It registers with the annotation management database 70 (drawing 4) at step 227. That is, the object ID generated at step 226 is set as an object ID 701, the value of the media object ID 601 of the multimedia management database 60 is set as the media object ID 702, and the initiation time code which the operator specified at step 224 further, a termination time code, and an annotation are stored in the initiation time code 703, the termination time code 704, and an annotation 705, respectively.

[0027] For example, it is "flower to the section 00:29:22:15 to 00:31:55:52 of media object ID"M01" of drawing 3. If the annotation of the keyword cherry tree" is attached, as shown in <u>drawing 4</u> In the item of the media object ID 702 of the annotation management database 70, "M01", As for the initiation time code 703, a "flower cherry tree" is registered, respectively as 704 "00:31:55:52" and an annotation 7051, as for

"00:29:22:15" and a termination time code. The annotation is possible also for two or more kinds of setup, and the name of a place 7052, time amount 7053, the person 7054, the proper noun 7055, and the event 7056 have also set it up here, respectively. Moreover, the object ID 701 to which the annotation registration processing 22 generated the value is "A01."

(0028) An operator's directions of termination of registration processing eliminate the screen for an annotation input in step 228.

(10029) Next, the detail of the media data retrieval processing 23 of step 203 is explained using the flow chart of <u>drawing 8</u>. If an operator directs initiation of the media data retrieval processing 23 through an input device 30, the screen for a retrieval condition input will be expressed to a display 40 as step 231. The example of the retrieval condition specification screen 41 is shown in <u>drawing 10</u>. In step 232, the retrieval conditions of the media object for which it asks to the keyword input area 4011 of the keyword appointed area 401 of <u>drawing 10</u> are specified. When specifying two or more retrieval conditions (two or more keywords are divided into the keyword input area 4011 in a tooth space, and it is an input), either "all keywords" 4012 or "keywords [one of]" 4013 are chosen. Here, an operator explains it, assuming a "flower" to have inputted as retrieval conditions. "O.K." of the retrieval criteria specification screen 41 ·· if the depression of the carbon button 405 is carried out, the SQL sentence for searching the object ID 701 corresponding to retrieval conditions, the media object ID 702, the initiation time code 703, and the termination time code 704 with step 233 from the annotation management database 70 (<u>drawing 4</u>) will be generated.

(0030) For example, as retrieval conditions, if the name of the annotation management database 70 is made to "annotation" and an annotation is made into a "flower", an SQL sentence is SELECT. Object ID An annotation, the media object ID, an initiation time code, termination time code FROM annotation WHERE Annotation It becomes LIKE"

10031] Next, in step 234, the SQL sentence generated at the front step is performed, and the retrieval result is stored on the retrieval result storing table 80 (drawing 5) developed by the workspace 25 (step 235). namely, the record of the annotation management database 70 corresponding to retrieval conditions to the object ID 701 ·· an object ID 802 ·· the media object ID 702 ·· the media object ID 805 ·· the initiation time code 806, and the termination time code 703 is posted to the initiation time code 806, and the termination time code 704 is posted for an annotation 7051 to the termination time code 807 at an annotation 804, respectively. The title name 803 searches and stores the title name 602 corresponding to the media object ID 601 which is in agreement with the media object ID 805 with

reference to the multimedia management database 60. The value of the counter 801 for specifying the record of a retrieval result sets up the value generated here.

[0032] Next, when an operator directs the display (playback) of a retrieval result, the screen for a retrieval condition input (<u>drawing 10</u>) is eliminated from an indicating equipment 40 (step 236), and the media data retrieval processing 23 is ended.

[0033] In addition, although the example which inputs and searches a keyword with the screen of <u>drawing 10</u> above was explained, it can also search from the media photoed within the period by choosing 4021 "is specified" in the photography period appointed area 402, and inputting periods 4023 and 4024. In this case, if the photography period 402 and a keyword 401 are specified, the media object which has that keyword out of the media photoed within that photography period can be searched.

[0034] The detail of the media data regeneration 24 of step 204 is explained using the flow chart of <u>drawing 9</u>. In the media data retrieval processing 23 in which it explained by <u>drawing 8</u>, if an operator directs viewing and listening (playback) of a result, it will shift to the media data regeneration 24 automatically, and processing of <u>drawing 9</u> will start. At step 241, 1 is first set to a program counter at i. At step 242, the value of the media object ID 805 whose value of a counter 801 corresponds with the value of a program counter i is detected with reference to the retrieval result storing table 80 (<u>drawing 5</u>) developed by the work area 25 (in the case [The example of <u>drawing 5</u>] of i= 1 "M01"). The SQL sentence for retrieving the storing information 604 on the stereo of the multimedia corresponding to the media object ID 601 of the multimedia management database 60 which is in agreement with the media object ID 805 detected at the front step at step 243 from the multimedia management database 60 is generated. [0035] For example, as retrieval conditions, if the media object ID sets to "M01", an SQL sentence is SELECT. Storing information FROM Multimedia management database WHERE It becomes media object ID = "M01".

[0036] At step 244, the SQL sentence generated at the front step is performed. In step 245, the storing information 604 detected at step 244 and the value of a counter 801 start image reproduction software by making into an argument the value of the initiation time code 806 of the record which is i, and the termination time code 807, and are reproduced to a display 40. <u>Drawing 17</u> shows the reproduced example of a screen. An operator judges whether it is the image which views, listens to it and asks for the image currently reproduced. When the directions "it is not image data for which it asks" are during playback from an operator (step 246), playback of an image is stopped and it progresses to step 248. When there are directions of "it registers" from an operator at step 246, the applicable record of the retrieval result storing table 80 is posted to the

retrieval result registration table 90 ($\overline{ ext{drawing }6}$) at step 247, and it progresses to step

248.

. .

(0037] When it judges whether the media data regeneration 24 has the next record of the current counter in the retrieval result storing table 80 at step 248 and judges with degree no record found, processing is ended, when that is not right, Counter i is counted up at step 249, and processing from step 242 is performed again. At the time of termination of the media data regeneration 24, the retrieval result registration table 90 (<u>drawing 6</u>) serves as a list of the media for which an operator asks.

[0038] By processing of the above <u>drawing 9</u>, each media object of a retrieval result like <u>drawing 5</u> is reproduced continuously in order, and an operator looks at the image currently reproduced, and when it is a desired thing, he can perform actuation "is registered". [of pushing a predetermined carbon button] Moreover, when it is not a desired image, it shifts to playback of the following image automatically by directing that. Therefore, without directing playbacks one by one about the media object searched like <u>drawing 5</u>, it tries listening continuously and which of those images can be specified ["it registers" and]. Finally, the registered list can be obtained like <u>drawing 6</u>. [0039] Although step 203 and step 204 were continuously performed with the gestalt of this operation, after generating the retrieval result storing table 80 at step 203, step 204 may be performed separately.

indicated by list after retrieval. In the annotation registration processing 22, if display"4033 are specified by "thumbnail when the thumbnail image which is a indicated by list as a retrieval result. in addition, "list -- display" -- "thumbnail after carrying out ·· display" ·· after carrying out, retrieval conditions are narrowed down [0040] Moreover, with the gestalt of this operation, the image of a retrieval result was immediately reproduced after retrieval. However, although he wants to check a final result, such as wanting to narrow down conditions further depending on a retrieval result, by reproducing an image, it may be said that he wants to refer to a result for the time being except an image. In such a case, since it corresponds, it enables it to specify the method of presentation of a result. That is, in the retrieval condition input screen 41 shown in drawing 10, the retrieval result method-of-presentation appointed area 403 is formed. Shortly after specifying 4031 "is reproduced" in this area 403, as mentioned above, a result is continuously reproduced after retrieval. If display"4032 are specified by "list, the title name 803 of the retrieval result storing table 80 ($\frac{drawing 5}{2}$) will be again, and it can research, or processing of playback and registration of <u>drawing 9</u> can representation image of an annotation is registered, the thumbnail image will be started by predetermined actuation.

[0041] Playback sequence can be specified by rearranging the retrieval result storing table 80 which stored the retrieval result from the contents of the annotation. Therefore, in the media data retrieval processing 23, the retrieval result displayorder appointed area 404 constituted from a photography date 4041, a title 4042, and an attribute (annotation) 4043 in the retrieval condition input screen 41 of drawing 10 is formed. In the retrieval result displayorder appointed area 404, when the photography date 4041 is chosen, a photography day reproduces a retrieval result in old order. When a title 4042 is chosen, a retrieval result is reproduced in order, as a result of sorting a title name. When an attribute 4043 is chosen, a retrieval result is reproduced in the sequence specified by the annotation. Assignment of the sequence in an annotation is performed on the screen (after-mentioned) which pushes the attribute setup key 4044 and is displayed.

[0042] For example, if an operator inputs a "flower" into the keyword input area 4011 and chooses the photography date 4041 as retrieval conditions in step 232 of <u>drawing 8</u>, the SQL sentence generated at step 233 is SELECT. Object ID Keyword, Time amount, the media object ID, an initiation time code, termination time code FROM annotation WHERE Keyword LIKE % flower % Order By It becomes time amount.

[0043] The SQL sentence of a step 234 smell lever is performed, and the retrieval result storing table 80 registered in step 235 is shown in $\overline{drawing 11}$. In the retrieval resulting table 80 of $\overline{drawing 11}$, since the retrieval result is arranged in order of the photography date, continuation playback is performed in this order.

[0044] In step 232 of <u>drawing 8</u>, if an operator inputs a "flower" into the keyword input area 4011 and chooses a title 4042 as retrieval conditions, he will perform edit processing of the result storing table 80 in step 235. <u>Drawing 12</u> is a flow chart which shows the detail of processing of step 235 in this case. In step 2351, a retrieval result is written in the retrieval result storing table 80. The retrieval resulting table 80 presupposes that it is in the condition of <u>drawing 5</u>. In step 2352, it judges whether there is any assignment of a title 4042 or an attribute 4043 in the retrieval result display-order appointed area 404. When there is assignment [which], it progresses to step 2353. Anything does not have assignment, or processing is ended when it judges with it being assignment of the photography date 4041. When it judges with there having been assignment of a title 4042 in step 2353, a record is rearranged in order of the code of the title name 803 (step 2354). The rearranged retrieval result storing table 80 is shown in <u>drawing 1313</u>. On the retrieval result storing table 80 of <u>drawing 13</u>, since the retrieval result is arranged in order of the title name (numerical order), continuation playback is performed in this order.

[0045] If an operator inputs a "flower" into the keyword input area 4011, chooses an attribute 4043 as retrieval conditions in step 232 of <u>drawing 8</u> and does the depression of the "attribute setting" carbon button 4044, the attribute (annotation) setting screen 42 shown in a display 40 at <u>drawing 14</u> will be displayed. With this attribute setting screen 42, the playback sequence of the image of a retrieval result is specified from the contents of the annotation. Since the annotation 705 of the annotation management database 70 of <u>drawing 4</u> consists of a keyword 7051, the name of a place 7052, time amount 7053, a person 7054, a proper noun 7055, and an event 7056, it constitutes the attribute setting screen 42 of <u>drawing 14</u> from each screen of a keyword 421, the name of a place 422, time amount 423, a person 424, a proper noun 425, and an event 426.

[0046] <u>Drawing 14</u> just displayed the appointed screen of the playback sequence by the keyword. A keyword is set as text fields 4211-4216. The image which contains the keyword inputted into the text field 4211 at the time of playback is reproduced to top priority. There may be two or more images containing the keyword inputted into the text field 4211. Next, after reproducing the image containing the keyword inputted into the text field 4212 and reproducing further in order of a text field 4213, a text field 4214, a text field 4215, and a text field 4216, the image which does not correspond to the keyword of text fields 4213-4216 will be reproduced on the retrieval result storing table

[0047] When the playback sequence by the annotation is specified on the screen of drawing 14, processing of drawing 12 is performed at step 235. Here, since the attribute 4043 is chosen, step 2355 is performed. Thereby, the retrieval result storing table 80 becomes drawing 15. On the retrieval result storing table 80 of drawing 15 is on the retrieval result is arranged in order of an annotation which was specified by drawing 14 R> 4, continuation playback is performed in this order.

[0048] The detail of processing of step 2355 is explained with reference to the flow chart of <u>drawing 16</u>. In step 251, the retrieval result storing table 80 of <u>drawing 5</u> is reproduced on a work area 25. In step 252, the classification of the annotation set up on the attribute (annotation) setting screen 42 of <u>drawing 14</u> R> 4 is detected. Here, a keyword corresponds. The value of the 1st text field 4211 is referred to at step 253. Here, since it is a "plum", the record which contains a "plum" by the annotation is searched with step 254 with reference to the retrieval result storing table 80 (<u>drawing 5</u>). An applicable record is posted to the retrieval result storing table 80 on a work area 25.

[0049] When it is inputted into the following text field at step 256 whether the keyword is inputted or not, it advances to step 253 by judging, and return and when not being carried out, it advances to processing of step 257. When there is a non-posted record, it

posts at step 257, and the retrieval result storing table 80 on a work area 25 is stored on a disk, and processing is ended. Thereby, the table sorted by annotation like $\underline{drawing\ 15}$ is obtained from the table of $\underline{drawing\ 5}$.

002

[Effect of the Invention] Usually, the retrieval result of multimedia data, such as an image, is expressed as a title name etc. However, if it does not actually view and listen to an image etc., it is necessary to the file of the multimedia data applicable to a title to know whether be multimedia data really needed, but to issue reproductive directions one by one. A retrieval result can be viewed, listened to it and checked easily, without according to this invention, performing troublesome actuation of directing playbacks one by one to a retrieval result, since the retrieval result of multimedia data is reproduced continuously. Moreover, since the sequence to reproduce can be specified for annotation information etc., it can view and listen to a retrieval result continuously in order of a request of a user.

[Translation done.]

NOTICES *

JPO and NCIPI are not responsible for any

damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.

2.**** shows the word which can not be translated.

3.In the drawings, any words are not translated.

TECHNICAL FIELD

[Field of the Invention] This invention saves multimedia data, such as an image, sound, and animation, relates to the database system aiming at reusing, especially relates to the efficient search method of multimedia data, equipment, and a storage.

[Translation done.]

NOTICES *

. .

JPO and NCIP! are not responsible for any

damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated

PRIOR ART

[Description of the Prior Art] As invention about multimedia database retrieval, the thing of a publication is, for example in JP,10-21261.A. This invention makes Object ID, the specific section, and annotation information on the object media defined when a user defined an annotation (for example, what kind of scenery [the scene where who has appeared and] it is, comment information) as the specific section of a media object one annotation object, and manages the set of these annotation objects, and the user enables it to specify annotation retrieval conditions. In the case of the list display of the annotation list of multimedia, or an image, a retrieval result expresses as a thumbnail image (static image of one frame of the specific location of the specific section).

[Translation done.]

* NOTICES *

JPO and NCIPI are not responsible for any

damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

EFFECT OF THE INVENTION

Effect of the Invention] Usually, the retrieval result of multimedia data, such as an

to an image etc., it is necessary to the file of the multimedia data applicable to a title to one by one to a retrieval result, since the retrieval result of multimedia data is image, is expressed as a title name etc. However, if it does not actually view and listen know whether be multimedia data really needed, but to issue reproductive directions one by one. A retrieval result can be viewed, listened to it and checked easily, without according to this invention, performing troublesome actuation of directing playbacks reproduced continuously. Moreover, since the sequence to reproduce can be specified for annotation information etc., it can view and listen to a retrieval result continuously in order of a request of a user.

[Translation done.]

* NOTICES *

JPO and NCIP! are not responsible for any

damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

TECHNICAL PROBLEM

effective in narrowing down a candidate to some extent, it does not know whether an [Problem(s) to be Solved by the Invention] The above mentioned invention searches the part for which it asks out of a lot of image data or sound data, and although it is very image and sound are the images and sound for which it will ask if it does not actually see or is not heard. Actuation of directing playback further from the title and thumbnail image of the image displayed as a retrieval result is troublesome.

equipment, and a storage, without performing troublesome actuation of directing [0004] The purpose of this invention aims at offering the multimedia data retrieval approach that a retrieval result can be viewed, listened to it and checked easily, playbacks one by one to a retrieval result, when multimedia data are searched in view of the trouble of the above mentioned conventional technique.

[Translation done.]

NOTICES *

JPO and NCIP! are not responsible for any

damages caused by the use of this translation.

I. This document has been translated by computer. So the translation may not reflect he original precisely.

2.**** shows the word which can not be translated

3.In the drawings, any words are not translated.

MEANS

nvention is the multimedia data retrieval approach of searching the section of the arbitration of these multimedia data from the multimedia database holding multimedia lata. The step which registers the identifier for identifying the specific section when the unnotation in said multimedia data was set up, the positional information of this specific section, and the annotation information attached at this specific section as an unnotation object, It is characterized by having the step which searches the multimedia data applicable to said annotation object, and is reproduced, and the step which Means for Solving the Problem] In order to attain the above mentioned purpose, this registers the identifier of the annotation object of a retrieval result.

he step which registers the identifier of the annotation object instructed to be a information of this specific section, and the annotation information attached at this specific section as an annotation object, The step which inputs the retrieval conditions over said annotation object, The step which searches said annotation object with the inputted retrieval conditions, and acquires a retrieval result, The step which acquires the multimedia data applicable to the annotation object contained in said retrieval result, and carries out continuation playback, It is characterized by having the step which inputs the necessity of registration of the annotation object under playback, and (0006) Moreover, this invention is the multimedia data retrieval approach of searching he section of the arbitration of these multimedia data from the multimedia database holding multimedia data. The step which registers the identifier for identifying the specific section when the annotation in said multimedia data was set up, the positional egistration important point.

[0007] It has further the step which specifies those playback sequence to the annotation object contained in said retrieval result, and said step which carries out continuation playback is good to be made to reproduce in order of the this specified playback.

database holding multimedia data. A means to register the identifier for identifying the information of this specific section, and the annotation information attached at this retrieval conditions, and to acquire a retrieval result, The means which acquires the and carries out continuation playback. It is characterized by having a means to input the necessity of registration of the annotation object under playback, and a means to [0008] Moreover, this invention is multimedia data retrieval equipment with which the specific section when the annotation in said multimedia data was set up, the positional specific section as an annotation object, A means to input the retrieval conditions over said annotation object, A means to search said annotation object with the inputted multimedia data applicable to the annotation object contained in said retrieval result, register the identifier of the annotation object instructed to be a registration important section of the arbitration of these multimedia data is searched from the multimedia

concerning the multimedia data retrieval approach of searching the section of the arbitration of these multimedia data from the multimedia database holding multimedia information of this specific section, and the annotation information attached at this specific section as an annotation object, The step which inputs the retrieval conditions over said annotation object, The step which searches said annotation object with the inputted retrieval conditions, and acquires a retrieval result, The step which acquires the multimedia data applicable to the annotation object contained in said retrieval result, and carries out continuation playback, It is characterized by having the step which inputs the necessity of registration of the annotation object under playback, and the step which registers the identifier of the annotation object instructed to be a [0009] Furthermore, this invention is the storage which memorized the program data. The step which registers an identifier for this program to identify the specific section when the annotation in said multimedia data was set up, the positional registration important point.

[Embodiment of the Invention] Hereafter, the gestalt of operation of this invention is explained to a detail using a drawing.

his invention to drawing 1 is shown. This system System-wide control and various processings The stereo of the indicating equipment 40 which displays the input device [0011] The configuration of the multimedia database retrieval system which applied

30 which inpute the memory 20 and the command which store the data in the middle of the central processing unit (CPU) 10 to perform, the processing program group performed by CPU10, and processing etc., data, etc., a retrieval result, etc., an image, sound data, etc., etc. The multimedia database 50 to accumulate, the multimedia management database 60, the annotation management database 70, the retrieval result storing table 80, and the list are equipped with the retrieval result registration table 90. [0012] These each part is connected through data / control bus 100. Although each database and tables 50-90 consist of a file, memory, etc., they may store these in a hard disk drive unit etc. collectively [tables]. In memory 20, the multimedia registration processing 21, the annotation registration processing 22, the media data retrieval processing 23, and the media data regeneration 24 are loaded. Moreover, the work area 25 is secured in memory 20.

(0013) The outline of the gestalt of this operation is explained using the flow chart shown in the basis of these configurations, and $\underline{drawing\ 2}$.

[0014] Multimedia registration processing 21 is performed at step 201. This is processing which stores multimedia data in a multimedia database 50. A multimedia database is the file and the generic name of a tape which store much multimedia data which consist of an image object, a sound object, an animation object, a graphic form object, or a text object. The multimedia management database 60 is a database which manages the media data stored in a multimedia database 50.

[0016] The contents stored in the multimedia management database 60 at <u>drawing 3</u> are shown in a table format. One record (one line of <u>drawing 3</u>) corresponds per media data, and the one record consists of data of the media object ID 601, the title name 602, the media identification code 603, the storing information 604, and the management attribute information 605.

(0016] When registering media data into a multimedia database 50 newly at step 201 of drawing 2, an operator registers the management information of media into the multimedia management database 60 through an input device 30. An operator inputs the file name of the media concerned as storing information 604 (location which stores the stereo of media data) while inputting the title name 602 and the media identification code 603 of media. The management attribute information 605 etc. is inputted and registered if needed. The media object ID 601 **** the number which does not overlap the media object ID already registered by the multimedia registration processing 21 by the system side.

[0017] Annotation registration processing 22 is performed at step 202. In the case of image data or sound data (music etc.), the specification method of the range of the

specific section to reproduce is considered in some numbers by the medium which stores media, or the hardware to reproduce, but it unifies here with the time code notation (minute: at the time [Being the format of HH:MM:SS:FF.]: second: notation showing a frame) of SMPTE. About image data or sound data, the part for which the media data asks is reproducible by specifying an initiation time code and a termination time code. However, it is user-unfriendly that an operator specifies a time code and directs playback. In the system of this operation gestalt, the section divided with an initiation time code and a termination time code is caught with an object, and an annotation (comment information) is given to this object.

which manages collectively the identification information, the specific section, and annotation minformation on the object to which the annotation is attached. As for the annotation management database 70, the one record consists of data of the initiation time code 703 of the specific section when one record (one line of <u>drawing 4</u>) corresponds at, and gives an object ID 701, the media object ID 702 of object media, and an annotation, the termination time code 704, and an annotation 705 to one object. An operator sets up an annotation 705 to the contents of the image, and it does not have one kind, may be set up two or more kinds, and consists of a keyword 7051, the name of a place 7052, time amount 7053, a person 7054, a proper noun 7055, and an event 7056

[0019] It returns to <u>drawing 2</u> and media data retrieval processing 23 is performed at step 203. An operator specifies the annotation of the image for which it asks as retrieval conditions. Based on the specified retrieval conditions, reference / retrieval activation of the annotation management database 70 is carried out, and the result is stored in the retrieval result storing table 80.

[0020] The structure of the retrieval result storing table 80 is shown in drawing 5. The retrieval result storing table 80 consists of the counter 801 which shows the record number of a retrieval result, an object ID 802, the title name 803, an annotation 804, a media object ID 805, an initiation time code 806, and a termination time code 807. An object ID 802, an annotation 804, the media object ID 805, the initiation time code 806, and the termination time code 807 are stored respectively with reference to the object ID 701, the annotation 705, the media object ID 702, the initiation time code 703, and the termination time code 704 of the annotation management database 70, and the title name 803 stores them with reference to the title name 602 of the multimedia management database 60. The media data retrieval processing 23 generates a counter

[0021] It returns to <u>drawing 2</u> again and media data regeneration 24 is performed at step 204. This is processing which reproduces continuously each object registered into the retrieval result storing table 80. An operator judges whether they are the media for which it asks one by one, and registers with the retrieval result registration table 90 as a list of the media for which it asks, viewing and listening to the media reproduced continuously.

[0022] The structure of the retrieval result registration table 90 is shown in <u>drawing 6</u>. The retrieval result registration table 90 consists of a counter 901, an object ID 902, the title name 903, an annotation 904, a media object ID 905, an initiation time code 906, and a termination time code 907. While reproducing the image of a retrieval result continuously, when an operator directs to be the media for which it asks, the object ID 802, the title name 803, the annotation 804, the media object ID 805, the initiation time code 806, and the termination time code 806, and the termination time code 807 of the media of the retrieval result storing table 80 are read, and it stores in the object ID 902, the title name 903, the annotation 904, the media object ID 905, the initiation time code 907 of the media object ID 905, and the termination time code 907 of the media at a regeneration 24 generates and stores a counter

0023] Hereafter, the detail of each processing is explained.

10024] With reference to the flow chart of drawing 7, the detail of the annotation registration processing 22 of step 202 is explained. If an operator directs initiation of the annotation registration processing 202 through an input unit 30, the screen for an annotation input will be expressed to a display 40 as step 221. Here, with reference to the title name 602 of the multimedia management database 60, it reads into a work area 25 and the title name 602 is indicated by list. An operator chooses the title name of the media object made into the object of annotation registration out of this (step 222).

(0025) In step 223, the media object specified at step 222 is reproduced, and an operator detects the initiation time code and termination time code of an object of the section to set an annotation, viewing and listening to it. Detection of each time code may be judged by the time amount displayed by the display during media playback, and the software for reproducing may detect a time code by continuing pushing a specific carbon button all over the section to which an operator wants to set an annotation. An initiation time code, a termination time code, and an annotation are inputted at step 224 after deciding the object section.

0026] At step 225, when an operator directs "to register", it progresses to step 226, and when "not registering" is directed, it progresses to step 228. Object ID is generated at step 226. It registers with the annotation management database 70 (<u>drawing 4</u>) at step

227. That is, the object ID generated at step 226 is set as an object ID 701, the value of the media object ID 601 of the multimedia management database 60 is set as the media object ID 702, and the initiation time code which the operator specified at step 224 further, a termination time code, and an annotation are stored in the initiation time code 703, the termination time code 704, and an annotation 705, respectively.

[0027] For example, it is "flower to the section 00:29:22:15 to 00:31:55:52 of media object ID"M01" of <u>drawing 3</u>. If the annotation of the keyword cherry tree" is attached, as shown in <u>drawing 4</u> In the item of the media object ID 702 of the annotation management database 70, "M01", As for the initiation time code 703, a "flower cherry tree" is registered, respectively as 704 "00:31:55:52" and an annotation 7051, as for "00:29:22:15" and a termination time code. The annotation is possible also for two or more kinds of setup, and the name of a place 7052, time amount 7053, the person 7054, the proper noun 7055, and the event 7056 have also set it up here, respectively. Moreover, the object ID 701 to which the annotation registration processing 22 generated the value is "A01."

[0028] An operator's directions of termination of registration processing eliminate the screen for an annotation input in step 228.

lo029] Next, the detail of the media data retrieval processing 23 of step 203 is explained using the flow chart of <u>drawing 8</u>. If an operator directs initiation of the media data retrieval processing 23 through an input device 30, the screen for a retrieval condition input will be expressed to a display 40 as step 231. The example of the retrieval condition specification screen 41 is shown in <u>drawing 10</u>. In step 232, the retrieval conditions of the media object for which it asks to the keyword input area 4011 of the keyword appointed area 4010 of <u>drawing 10</u> are specified. When specifying two or more retrieval conditions (two or more keywords are divided into the keyword input area 4011 in a tooth space, and it is an input), either "all keywords" 4012 or "keywords [one of]" 4013 are chosen. Here, an operator explains it, assuming a "flower" to have inputted as retrieval conditions. "O.K." of the retrieval criteria specification screen 41 ·· if the depression of the carbon button 405 is carried out, the SQL sentence for searching the object ID 701 corresponding to retrieval conditions, the media object ID 702, the initiation time code 703, and the termination time code 704 with step 233 from the annotation management database 70 (<u>drawing 4</u>) will be generated.

[0030] For example, as retrieval conditions, if the name of the annotation management database 70 is made to "annotation" and an annotation is made into a "flower", an SQL sentence is SELECT. Object ID An annotation, the media object ID, an initiation time code, termination time code FROM annotation WHERE Annotation It becomes LIKE?

lower %'.

. .

the retrieval result is stored on the retrieval result storing table 80 (drawing 5) developed by the workspace 25 (step 235). namely, the record of the annotation management database 70 corresponding to retrieval conditions to the object ID 701 ·· an object ID 802 ·· the media object ID 805 ·· the initiation time code 703 is posted to the initiation time code 806, and the termination time code 704 is posted for an annotation 7051 to the termination time code 807 at an annotation 804, respectively. The title name 803 searches and stores the title name 602 corresponding to the media object ID 601 which is in agreement with the media object ID 805 with reference to the multimedia management database 60. The value of the counter 801 for specifying the record of a retrieval result sets up the value generated here.

[0032] Next, when an operator directs the display (playback) of a retrieval result, the screen for a retrieval condition input ($\frac{1}{4}$ drawing $\frac{10}{10}$) is eliminated from an indicating equipment 40 (step 236), and the media data retrieval processing 23 is ended.

[0033] In addition, although the example which inputs and searches a keyword with the screen of <u>drawing 10</u> above was explained, it can also search from the media photoed within the period by choosing 4021 "is specified" in the photography period appointed area 402, and inputting periods 4023 and 4024. In this case, if the photography period 402 and a keyword 401 are specified, the media object which has that keyword out of the media photoed within that photography period can be searched.

[0034] The detail of the media data regeneration 24 of step 204 is explained using the flow chart of <u>drawing 9</u>. In the media data retrieval processing 23 in which it explained by <u>drawing 8</u>, if an operator directs viewing and listening (playback) of a result, it will shift to the media data regeneration 24 automatically, and processing of <u>drawing 9</u> will start. At step 241, 1 is first set to a program counter at i. At step 242, the value of the media object ID 805 whose value of a counter 801 corresponds with the value of the program counter i is detected with reference to the retrieval result storing table 80 (<u>drawing 5</u>) developed by the work area 25 (in the case [The example of <u>drawing 5</u>] of i= 1 "M01"). The SQL sentence for retrieving the storing information 604 on the stereo of the multimedia corresponding to the media object ID 601 of the multimedia management database 60 which is in agreement with the media object ID 805 detected at the front step at step 243 from the multimedia management database 60 is generated [0035] For example, as retrieval conditions, if the media object ID sets to "M01", an SQL sentence is SELECT. Storing information FROM Multimedia management database WHERE It becomes media object ID = "M01".

[0036] At step 244, the SQL sentence generated at the front step is performed. In step 245, the storing information 604 detected at step 244 and the value of a counter 801 start image reproduction software by making into an argument the value of the initiation time code 806 of the record which is i, and the termination time code 807, and are reproduced to a display 40. <u>Drawing 17</u> shows the reproduced example of a screen. An operator judges whether it is the image which views, listens to it and asks for the image currently reproduced. When the directions "it is not image data for which it asks" are during playback from an operator (step 246), playback of an image is stopped and it progresses to step 248. When there are directions of "it registers" from an operator at step 246, the applicable record of the retrieval result storing table 80 is posted to the retrieval result registration table 90 (<u>drawing 6</u>) at step 247, and it progresses to step 248.

[0037] When it judges whether the media data regeneration 24 has the next record of the current counter i in the retrieval result storing table 80 at step 248 and judges with degree no record found, processing is ended, when that is not right, Counter i is counted up at step 249, and processing from step 242 is performed again. At the time of termination of the media data regeneration 24, the retrieval result registration table 90 (<u>drawing 6</u>) serves as a list of the media for which an operator asks.

[0038] By processing of the above drawing 9, each media object of a retrieval result like drawing 5 is reproduced continuously in order, and an operator looks at the image currently reproduced, and when it is a desired thing, he can perform actuation "is registered". [of pushing a predetermined carbon button] Moreover, when it is not a desired image, it shifts to playback of the following image automatically by directing that. Therefore, without directing playbacks one by one about the media object searched like drawing 5, it tries listening continuously and which of those images can be specified ["it registers" and]. Finally, the registered list can be obtained like drawing 6. [0039] Although step 203 and step 204 were continuously performed with the gestalt of this operation, after generating the retrieval result storing table 80 at step 203, step 204 may be performed separately.

[0040] Moreover, with the gestalt of this operation, the image of a retrieval result was immediately reproduced after retrieval. However, although he wants to check a final result, such as wanting to narrow down conditions further depending on a retrieval result, by reproducing an image, it may be said that he wants to refer to a result for the time being except an image. In such a case, since it corresponds, it enables it to specify the method of presentation of a result. That is, in the retrieval condition input screen 41 shown in <u>drawing 10</u>, the retrieval result method of presentation appointed area 403 is

formed. Shortly after specifying 4031 "is reproduced" in this area 403, as mentioned above, a result is continuously reproduced after retrieval. If display 4032 are specified by "list, the title name 803 of the retrieval result storing table 80 (drawing 5) will be indicated by list after retrieval. In the annotation registration processing 22, if display 4033 are specified by "thumbnail when the thumbnail image which is a representation image of an annotation is registered, the thumbnail image will be indicated by list as a retrieval result. in addition, "list -- display" -- "thumbnail after carrying out -- display" -- after carrying out, retrieval conditions are narrowed down again, and it can research, or processing of playback and registration of drawing 9 can be started by predetermined actuation.

(1004.1] Playback sequence can be specified by rearranging the retrieval result storing table 80 which stored the retrieval result from the contents of the annotation. Therefore, in the media data retrieval processing 23, the retrieval result display order appointed area 404 constituted from a photography date 4041, a title 4042, and an attribute (annotation) 4043 in the retrieval condition input screen 41 of drawing 10 is formed. In the retrieval result display order appointed area 404, when the photography date 4041 is chosen, a photography day reproduces a retrieval result in old order. When a title 4042 is chosen, a retrieval result is reproduced in the sequence specified by the annotation. Assignment of the sequence in an annotation is performed on the screen (after mentioned) which pushes the attribute setup key 4044 and is displayed.

10042] For example, if an operator inputs a "flower" into the keyword input area 4011 and chooses the photography date 4041 as retrieval conditions in step 232 of drawing 8, the SQL sentence generated at step 233 is SELECT. Object ID Keyword, Time amount, the media object ID, an initiation time code, termination time code FROM annotation WHERE Keyword LIKE "% flower %' Order By It becomes time amount.

[0043] The SQL sentence of a step 234 smell lever is performed, and the retrieval result storing table 80 registered in step 235 is shown in $\overline{drawing\,11}$. In the retrieval resulting table 80 of $\overline{drawing\,11}$, since the retrieval result is arranged in order of the photography date, continuation playback is performed in this order.

0044] In step 232 of <u>drawing 8</u>, if an operator inputs a "flower" into the keyword input area 4011 and chooses a title 4042 as retrieval conditions, he will perform edit processing of the result storing table 80 in step 235. <u>Drawing 12</u> is a flow chart which shows the detail of processing of step 235 in this case. In step 2351, a retrieval result is written in the retrieval result storing table 80. The retrieval resulting table 80

presupposes that it is in the condition of <u>drawing 5</u>. In step 2352, it judges whether there is any assignment of a title 4042 or an attribute 4043 in the retrieval result display order appointed area 404. When there is assignment [which], it progresses to step 2353. Anything does not have assignment, or processing is ended when it judges with it being assignment of the photography date 4041. When it judges with there having been assignment of a title 4042 in step 2353, a record is rearranged in order of the code of the title name 803 (step 2354). The rearranged retrieval result storing table 80 is shown in <u>drawing 1313</u>. On the retrieval result storing table 80 of <u>drawing 13</u>, since the retrieval result is arranged in order of the title name (numerical order), continuation playback is performed in this order.

[0045] If an operator inputs a "flower" into the keyword input area 4011, chooses an attribute 4043 as retrieval conditions in step 232 of drawing 8 and does the depression of the "attribute setting" carbon button 4044, the attribute (annotation) setting screen 42 shown in a display 40 at drawing 14 will be displayed. With this attribute setting screen 42, the playback sequence of the image of a retrieval result is specified from the contents of the annotation. Since the annotation 705 of the annotation management database 70 of drawing 4 consists of a keyword 7051, the name of a place 7052, time amount 7053, a person 7054, a proper noun 7055, and an event 7056, it constitutes the attribute setting screen 42 of drawing 14 from each screen of a keyword 421, the name of a place 422, time amount 423, a person 424, a proper noun 425, and an event 426.

[0046] <u>Drawing 14</u> just displayed the appointed screen of the playback sequence by the keyword. A keyword is set as text fields 4211-4216. The image which contains the keyword inputted into the text field 4211 at the time of playback is reproduced to top priority. There may be two or more images containing the keyword inputted into the text field 4211. Next, after reproducing the image containing the keyword inputted into the text field 4212 and reproducing further in order of a text field 4213, a text field 4214, a text field 4216, and a text field 4216, the image which does not correspond to the keyword of text fields 4213-4216 will be reproduced on the retrieval result storing table

[0047] When the playback sequence by the annotation is specified on the screen of drawing 14, processing of drawing 12 is performed at step 235. Here, since the attribute 4043 is chosen, step 2355 is performed. Thereby, the retrieval result storing table 80 becomes drawing 15. On the retrieval result storing table 80 of drawing 15 R> 5, since the retrieval result is arranged in order of an annotation which was specified by drawing 14 R> 4, continuation playback is performed in this order.

[0048] The detail of processing of step 2355 is explained with reference to the flow chart

of drawing 16. In step 251, the retrieval result storing table 80 of drawing 5 is reproduced on a work area 25. In step 252, the classification of the annotation set up on the attribute (annotation) setting screen 42 of drawing 14 R> 4 is detected. Here, a keyword corresponds. The value of the 1st text field 4211 is referred to at step 253. Here, since it is a "plum", the record which contains a "plum" by the annotation is searched with step 254 with reference to the retrieval result storing table 80 ($\frac{d \operatorname{rawing 5}}{1}$). An (0049) When it is inputted into the following text field at step 256 whether the keyword is inputted or not, it advances to step 253 by judging, and return and when not being carried out, it advances to processing of step 257. When there is a non-posted record, it posts at step 257, and the retrieval result storing table 80 on a work area 25 is stored on a disk, and processing is ended. Thereby, the table sorted by annotation like drawing 15 applicable record is posted to the retrieval result storing table $80\ \mathrm{on}\ \mathrm{a}$ work area 25.is obtained from the table of drawing 5.

[Translation done.]

* NOTICES *

JPO and NCIPI are not responsible for any

damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.

2.**** shows the word which can not be translated.

3.In the drawings, any words are not translated.

DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1] The basic block diagram of the multimedia database retrieval system which applied this invention Drawing 2] The flow chart Fig. for explaining basic actuation of the system of drawing

[Drawing 3] Multimedia management database structure Fig.

[Drawing 4] Annotation management database structure Fig.

(Drawing 5) Structural drawing of a retrieval result storing table

Drawing 6] Structural drawing of a retrieval result registration table

Drawing 7] The detail flowchart Fig. of annotation registration processing

Drawing 8] The detail flowchart Fig. of media data retrieval processing

Drawing 9] The detail flowchart Fig. of media data regeneration

Drawing 10 Drawing showing a retrieval criteria specification screen

Drawing 11] Structural drawing of a retrieval result storing table (the order assignment of a photography date)

Drawing 12] Result storing table edit processing detail flowchart Fig.

Drawing 13] Structural drawing of a retrieval result storing table (title name assignment)

Drawing 14] Drawing showing an annotation setting screen

Drawing 15] Structural drawing of a retrieval result storing table (annotation assignment)

Drawing 16] The flow chart Fig. of the processing sorted by the annotation

Drawing 17] Drawing showing the example of a playback screen

[Description of Notations]

Media data regeneration, 25 / -- A work area, 30 / -- An input device, 40 / -- An indicating equipment, 50 / ·· A multimedia database, 60 / ·· A multimedia management database, 70 / $\cdot\cdot$ An annotation management database, 80 / $\cdot\cdot$ A retrieval result storing table, 90 / $\cdot\cdot$ A retrieval result registration table, 100 / ·· Data/control bus.] ·· A central processing 10 [$\cdot\cdot$ Annotation registration processing, 23 / $\cdot\cdot$ Media data retrieval processing, 24 / $\cdot\cdot$ unit (CPU), 20 · Memory, 21 · Multimedia registration processing, 22

[Translation done.]

* NOTICES *

JPO and NCIPI are not responsible for any


damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.

2.**** shows the word which can not be translated.

3.In the drawings, any words are not translated.

DRAWINGS



[Drawing 1]

94776

2528 87 V 1.81


901 802 903

[Drawing 6]

マルチメディア管理5 十5 - 1 60 601 602

[Drawing 3]


94+FB




17 19 19 19 19 19 19 19	・	######################################	人 大學	1	大田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	で	┵┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼┼	第2000年 第2	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	対象を表現している。
01111111111111111111111111111111111111	を ・	 			
Contract	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1				
00.10.10.10.10.10.10.10.10.10.10.10.10.1	の 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	 		1	1000年度により、1000年度によりによりによりによりによりによりによりによりによりによりによりによりによりに
001103131 00110314 001 001031314 00110313 001 001031314 00110313 001 001031314 00110313 001 001031314 00110313 001 001031314 001031314 0010 001031314 00103131	は	 		6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
00.40.31.50 00.50.50.50.50.50.50.50.50.50.50.50.50.5	の 7.7 ・	 			2000年度に、・・
00:07:03:13:4 00:31:01:23 00:00:01:23 00:00:01:23 00:00:01:23 00:00:01:23 00:00:00:00:00:00:00:00:00:00:00:00:00:	80. 7. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	 			10 10 10 10 10 10 10 10
00:07:07:07:07:07:07:07:07:07:07:07:07:0	(C) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	 	五十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二		
94 - M. 8	80 8 A 7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	 	3	⊒	
02 803 804 808 02 4 1/2 94 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/	80 8 A A A A A A A A A A A A A A A A A A	++ ∞ \ ⊑ '			
94 + A2 174-0 804 806 805 804 806 805 804 806 805 805 805 805 805 805 805 805 805 805	· · · -	807 1914			<u> · · </u>
18	· · —	807 87974			
9.4 F.A.8 175-10 804 806 80 804 806 80 804 806 808 804 806 808 804 806 808 804 808 804 808 804 808 804 808 804 808 804 808 804 804	· —	807 87974]
(株) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		807 #794A			
77 5 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_	1			
大学式 12 版		1			
日本の一部日本 12 10日 1011 1011 1011 1011 1011 1011 10	1.	DE: 31:155:52			
100 B 21 WINGS	1	10:37:03:01			
THE PARTY OF THE P	L	05:41:01:33			
	┝	00:07:10:20			
1000000 100000000000000000000000000000	00:54:24:07	TO: 12: 21: 07			
:		•			
Drawing 11					
200 カルー・アル 80					
0 2 803	808	908	60		


[Drawing 4]


Ē	77.4	47.17	117-10	4	10.6	E0094A	N MT9
	2	24 F.M.D	4-6-4	•		ļ	_
Т	9	5.8 1.43	雅日 第 3	1985.7	8	19:10:18:18	H
Т	5	数字の独しいる	9 C2 3₽	1970.4	3	00:07:04:27	-
7	3	事の訪れ	15 GE	133.	3	B1:14:01	Н
١.	3	Loss	# 32	17.118	ğ	00:40:31:4	┢
	JOY	入學式		2000.5		81:24:63:00	18:00:31
							Ļ
		•		•		•	
	•					•	_
<u> </u>	[Drawing 15]	2 808	80 404	\$ \	•\		~ ~
T3	167.578	27,100		4	1000A	4	T94A
		74 F.WB	d=/:=+		뉴		Ť
L	3	1400 E	# 21:	3	10:40:31:41	╄	17:10:17:00
L	9	入學区	3 2		10:21:22:16	Н	20:31:64:00
L	2	Will Com	20 31	š	100:64:24	H	10:12:11:00
	AOT	日の別体を	超田製 32	3	13:10:13:00	Н	10:37:01:00
L						ŀ	





[Drawing 7]














SE AVAILABLE COL

[Drawing 16]